


Doc Code:

PTO/SB/21 (09-08)
Approved for use through 03/31/2007. OMB 0651-003
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**TRANSMITTAL
FORM**

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

11

Application Number

10/700,795

Filing Date

11/3/2003

First Named Inventor

Dinah B. Quiachon

Art Unit

3733

Examiner Name

Daniel J. Davis

Attorney Docket Number

ENDOV-65897

ENCLOSURES (Check all that apply)

- ☒ Fee Transmittal Form
☒ Fee Attached
☐ Amendment / Reply
☐ After Final
☐ Affidavits/declaration(s)
☐ Extension of Time Request
☐ Express Abandonment Request
☐ Information Disclosure Statement
☐ Certified Copy of Priority Document(s)
☐ Reply to Missing Parts/ Incomplete Application
☐ Reply to Missing Parts under 37 CFR 1.52 or 1.53

- ☐ Drawing(s)
☐ Licensing-related Papers
☐ Petition
☐ Petition to Convert to a Provisional Application
☐ Power of Attorney, Revocation Change of Correspondence Address
☐ Terminal Disclaimer
☐ Request for Refund
☐ CD, Number of CD(s) _____
☐ Landscape Table on CD

- ☐ After Allowance Communication to TC
☐ Appeal Communication to Board of Appeals and Interferences
☐ Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
☐ Proprietary Information
☐ Status Letter
☒ Other Enclosure(s) (please identify below):
Postcard; Certificate of Correction

Remarks

CUSTOMER NO. 24201

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm Name

FULWIDER PATTON LLP

Signature

Printed name

John V. Hanley

Date

1/8/2007

Reg. No.

38,171

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:

Signature

Typed or printed name

John V. Hanley

Date

1/8/2007

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 18 2007

Doc Code:

JAN 12 2007

PTO/SB/17 (07-06)

Approved for use through 01/31/2007. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).

**FEE TRANSMITTAL
for FY 2006**☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$) \$100.00

Complete if Known

Application Number	10/700,795
Filing Date	11/3/2003
First Named Inventor	Dinah B. Quiachon
Examiner Name	Daniel J. Davis
Art Unit	3733
Attorney Docket No.	ENDOV-65897

METHOD OF PAYMENT (check all that apply)☒ Check ☐ Credit Card ☐ Money Order ☐ None ☐ Other (please identify): _____☒ Deposit Account Deposit Account Number: 06-2425 Deposit Account Name: Fulwider Patton LLP

For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)

☐ Charge fee(s) indicated below ☐ Charge fee(s) indicated below, except for the filing fee☒ Charge any additional fee(s) or any underpayments of fee(s) under 37 CFR 1.16 and 1.17 ☒ Credit any overpayments

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

FEE CALCULATION (All the fees below are due upon filing or may be subject to a surcharge.)**1. BASIC FILING, SEARCH, AND EXAMINATION FEES**

Application Type	FILING FEES		SEARCH FEES		EXAMINATION FEES		Fees Paid(\$)
	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	
Utility	300	150	500	250	200	100	
Design	200	100	100	50	130	65	
Plant	200	100	300	150	160	80	
Reissue	300	150	500	250	600	300	
Provisional	200	100	0	0	0	0	

2. EXCESS CLAIM FEES

Fee Description	Fee (\$)	Small Entity Fee (\$)
Each claim over 20 (including Reissues)	50	25
Each independent claim over 3 (including Reissues)	200	100
Multiple dependent claims	360	180

Total Claims	Extra Claims	Fee (\$)	Fee Paid (\$)	Multiple Dependent Claims Fee (\$)	Fee Paid (\$)
--------------	--------------	----------	---------------	------------------------------------	---------------

10 - 20 or HP = 8 x \$50.00 = \$400.00

HP = highest number of total claims paid for, if greater than 20.

Indep. Claims	Extra Claims	Fee (\$)	Fee Paid (\$)
1	- 3 or HP =	8 x \$200.00	\$1600.00

HP = highest number of independent claims paid for, if greater than 3.

3. APPLICATION SIZE FEE

If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listing under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).

Total Sheets	Extra Sheets	Number of each additional 50 or fraction thereof	Fee (\$)	Fee Paid (\$)
- 100 =	0	/ 50 0 (round up to a whole number) x	\$250.00	\$0.00


4. OTHER FEE(S)

Non-English specification, \$130 fee (no small entity discount)

Other (e.g., late filing surcharge): Certificate of Correction

\$100.00

SUBMITTED BY

Signature		Registration No. (Attorney/Agent)	38,171	Telephone	310-824-5555
Name (Print/Type)	John V. Hanley			Date	1/8/2007

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 18 2007



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of
DINAH B. QUIACHON ET AL.
Patent No.: 7,118,594 B2
Issued: October 10, 2006
Serial No: 10/700,795
Filed: September 28, 2004
For: BIFURCATED MULTICAPSULE
INTRALUMINAL GRAFTING
SYSTEM AND METHOD

Examiner: Daniel J. Davis
Group Art Unit: 3733
Client ID/Matter No: ENDOV 65897
(E0066 C3)

January 8, 2007
Los Angeles, California

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Correction Department
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

The above-identified patent has been found to have the errors set forth in the enclosed Certificate of Correction. It is requested that this Certificate of Correction be issued and returned to us. Since these errors occurred in the final printing phase of the patent and in the final application, a check in the amount of \$100.00 is enclosed to

01/12/2007 CCHAU1 00000059 7118594

01 FC:1811

100.00 DP

JAN 18 2007

cover the necessary fees. If any additional fees are needed, please charge Deposit Account No. 06-2425.

The errors are verifiable in the patent application file as follows:

ERROR

VERIFICATION

Column 4, line 66, delete "a inferior" and insert --an inferior--.

Applicant error.

Column 7, line 46, delete "with-drawing" and insert --withdrawing--.

Printing error.

Column 7, line 58, delete "of0.080" and insert --of 0.080--.

Printing error.

Column 10, line 1, after "slightly less" insert --than--.

Applicant error.

Column 22, line 14, after "button" insert --.-- (a period).

Applicant error.

Column 25, line 49, delete "eye" and insert --wye--.

Printing error, page 66 of application. See attachment.

These errors occurred in good faith and correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination.

It is requested that a Certificate of Correction be issued and returned to us.


Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

JAN 18 2007

A duplicate of this document is attached.

Respectfully submitted,

FULWIDER PATTON LLP

By: 
John W. Hanley
Registration No. 38,171

JVH:ck
Enclosures

Howard Hughes Center
6060 Center Drive, Tenth Floor
Los Angeles, CA 90045
Telephone: (310) 824-5555
Facsimile: (310) 824-9696
Customer No. 24201

151300.1

JAN 18 2007



of the capsule jacket assembly 53 is loosened to allow movement of the capsule jacket main sheath 160. While using one hand to firmly grasp the ipsilateral capsule catheter assembly 52 and hold it stationary, the physician grasps the sheath adapter 164 with the other hand and gently pulls the sheath adapter proximally towards the capsule catheter wye adapter 145. Simultaneously, the physician applies slight tension on the guiding tube assembly 205 from the contralateral side as it is removed from the capsule jacket assembly. The capsule jacket assembly is gradually retracted to sufficiently expose the proximal capsule 132 to free the contralateral capsule 202. The capsule jacket assembly is then moved to its most proximal position and its proximal end 162 is locked to the male component 154 of the ipsilateral capsule handle 145. The locking ring is then tightened to hold the capsule jacket assembly in place, as shown in FIG. 29. The radiopaque marker 166 at the distal end of the capsule jacket main sheath may be used to position the capsule jacket as desired. Moreover, the position of the distal capsule 93 relative to the proximal capsule 132 is adjusted by using the marker bands on the hypotube 115 to adjust the graft 55 length to physiologic length.

At this point in the procedure, the contralateral tubular leg 172 of the graft 55 is moved into the contralateral iliac artery 229 by pulling the guiding tube 206 in a proximal direction, as shown in FIG. 30.

JAN 18 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,118,594 B2
APPLICATION NO.: 10/700,795
ISSUE DATE : October 10, 2006
INVENTOR(S) : Dinah B. Quiachon et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4,

Line 66, delete "a inferior" and insert --an inferior--.

Column 7,

Line 46, delete "with-drawing" and insert --withdrawing--.

Line 58, delete "of0.080" and insert --of 0.080--.

Column 10,

Line 1, after "slightly less" insert --than--.

Column 22,

Line 14, after "button" insert --.-- (a period).

Column 25,

Line 49, delete "eye" and insert --wye--.

MAILING ADDRESS OF SENDER:

**John V. Hanley
Fulwider Patton LLP
6060 Center Drive, 10th Floor
Los Angeles, CA 90045**

This collection of information is required by 37 CFR 1.322 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief of Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450 Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 18 2007